



## WELLS JOHNSON INFILTRATION SYSTEM

Part# 20-6000-00 Single head 110V

Part# 20-6005-00 Single head 220V

Wells Johnson has been at the forefront of the development and implementation of high quality infiltration equipment since 1983. The Wells Johnson Infiltration Pump is the premiere high-powered, efficient peristaltic pump for virtually effortless infiltration. The pump used by more physicians than any other on the market today.

### SYSTEM INCLUDES

2 Infiltration Cannulas (Multi Hole 6)

2 Luer Lock Handles

Infiltration Tubing (case of 5)

Pneumatic Foot Switch

Custom IV Stand

Spinal Needles (3)

User's Manual

### Options Available:

Dual Pneumatic Foot Switch

Dual Pump Head



### SPECIFICATIONS

Maximum Flow Rate	1300 ml/min
Continuous	25psi
Intermittent	40psi
Weight	11 lbs
Dimensions	7.25" x 12.5" x 6.25"
Power	100-240vac, 50/60hz
Drive	single direction
Motor	0 to 1050 rpm
Maximum Vacuum	24"hg
Maximum Head Pressure	40 psi

### ADDITIONAL PARTS AND ACCESSORIES

Infiltration Tubing, sterile, disposable	4 styles available
Infiltration Cannulas (specify size & style)	multiple hole patterns
Spinal Needles, sterile, disposable	
18g x 6"	24-6002-00
25g x 3"	24-6003-00
20g x 3.5"	24-6004-00
Pneumatic Foot Switch	20-6010-01
Luer Lock Infiltration handle (2)	16-5181-00
Infiltration handle with on/off valve	16-5185-00
On/off blue handle	20-6057-00
Custom IV Pole	18-4200-01
IV spike	20-6013-00
User's Manual	20-5078-00

### INFILTRATION CANNULAS

A critical element in the infiltration technique

Available in single or multi-hole versions

Standard diameters are 1.4, 1.6, 2.0, 2.4, 2.7, and 3.0mm

Standard lengths are 15cm, 17cm, 25cm, and 27cm

# INFILTRATION CANNULAS

The best practice for those utilizing the Tumescant Infiltration Technique is to use infiltration cannulas. Most infiltration cannulas feature a blunt tip design that aids patient safety during tumescant infiltration. The most popular infiltration cannulas feature hole patterns and spacing that better distributes fluid when compared to needles.

When ordering your Wells Johnson Infiltration Cannulas by phone, please use these selection guidelines:

- 1) part number of infiltration cannula desired
- 2) cannula diameter
- 3) cannula length
- 4) curve or bend preference (refer to page 22 for these options)
- 5) quantity
- 6) special instructions




*\*Please note that all infiltration cannulas come on a deluxe luer lock hub*

## STYLES

SMALL AREA CANNULAS - These cannulas typically have less holes and/or a closer grouping between holes

<b>C-4 Infiltration</b>	<b>20-1320-00</b>	
<b>C-6 Infiltration</b>	<b>20-1321-00</b>	
<b>C-8 Infiltration</b>	<b>20-1322-00</b>	
<b>Open Ended</b>	<b>20-1257-00</b>	
<b>Multihole6</b>	<b>20-1218-00</b>	
<b>3hole Spatula</b>	<b>20-1223-00</b>	
<b>Spiral</b>	<b>20-1243-00</b>	

LARGE AREA CANNULAS - These cannulas often contain more holes and/or more spacing between holes

<b>Rapid Infiltration II</b>	<b>20-1292-00</b>	
<b>24-hole Infiltration</b>	<b>20-1248-00</b>	
<b>Multi-hole 12</b>	<b>20-1252-00</b>	

## INFILTRATION TUBING

Wells Johnson offers the most complete selection of infiltration products in the world!  
Choose single spike, "Y" connector, or large bore. Tubing is individually packaged, sterile and disposable

### CB INFILTRATION

Part# 24-6008-00 (case of 10)

Features:

Single spike

Silicone sleeve for use in infiltration

Works with infiltration pump

156" total length



### "Y" INFILTRATION

Part# 24-6009-00 (case of 10)

Features:

Silicone sleeve for use in infiltration

170" total length

Dual spikes for non-stop infiltration

Works with infiltration pump



### LARGE BORE INFILTRATION

Part# 24-6028-00 (case of 10)

Features:

Single spike

Silicone sleeve for use in infiltration

Works with infiltration pump

188" total length

Large bore diameter for increased flow



### YLB INFILTRATION

Part# 24-6029-00 (case of 10)

Features:

Dual spikes for non-stop infiltration

Silicone sleeve for use in infiltration

Works with infiltration pump

170" total length

Large bore diameter for increased flow



## ALTERNATIVE MANUAL INFILTRATION SYSTEMS

### PRESSURE CUFF INFILTRATION SYSTEM

Part# 20-6050-00

Features:

Reusable

Flow Rate: 245 ml/min

Uses 24-6008-00 infiltration tubing

